

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# Note New Address

FRANK W. CAMPBELL

1112 Pinehurst, Route 6, Royal Oak, Mich.

FORMERLY

7521 Dunedin Street, Detroit

Also on old lists, 2233 LaMothe Ave., Detroit

Having concentrated my nursery from scattered plantings I am also concentrating on the more generally usable plants of the thousands of new or rare items I have tested during the past 15 years. Most of these flower perfectly the first year, a point constantly brought to my mind by customers who call at my nursery.

**A new sedum**—Name unobtainable, but it probably belongs to the album group, but is dwarfer than dasphyllum and its clear green makes it look like a 1/3 size sedum acre minor. Only 1/4 inch high, creeps into a dense mat, and is a dark green. This will fit crevices in rockeries nicer than any plant I know of and in general is quite a "find." Very few plants available. A few potted well established plants at \$1. Apparently this is a genuinely new and good thing.

**Anemone cylindrica** or Candle anemone—A slow creeper by deep underground stolons. About a foot high with large clear green leaves, and inch wide ivory white upright flowers during a long period in June and July, for sun or slight shade. A good ground covering plant that seems to do well anywhere, as I have tested it well. This plant came from Thibet some years ago, although it occurs in America in places. 25c, or \$1 per dozen.

**Achillea nana**—2" grey leaved, white flowered creeper, feathery leaved, sun and ordinary soil, or between stepping stones. 3 for \$1.00.

**Arenaria montana** or Mountain sandwort—Close grey tufts, profusely covered with silvery white flowers from midsummer on. Excellent as an edging plant in formal gardens and for rockeries in sunny places. Flowers resemble 1/2" white, upturned morning glories. Very satisfactory doer. 8" high. 3 for \$1.00.

**Bellium minutum**—A dainty miniature that throws out numerous runners and so forms a wide mat, covered in summer with perfect shaped 1/2" white daisies on 1" stems. Fine for sunny niches in rockery. 3 for \$1.00.

**Caryopteris mongoliensis**—Compact grey leaved shrubby 2' perennial, with blue flowers in late summer. A new shrub that roots as it slowly creeps, a very fine rockery and bedding plant. Aromatic scented leaves, in fact it is like a sage-brush with blue flowers. Likes dry, poor, sunny place. Blooms first year. Good cut flower, 75c.

**Dianthus "Alpwood"**—Similar to the clove pink of old-time gardens, and as pleasantly fragrant. 8", blooms midsummer and autumn, dark pink with darker eye, 1" wide. A new hybrid between alpinus and a cultivated variety. 35c.

**Dianthus alpinus**—Compact ball of shiny green foliage three inches high with light pink flowers in June or stems 1" above the foliage. A gem. 50c.

**Draba fladnizensis** or Arctic whitlowgrass—A rock-plant which has flat masses of neat foliage, with white flowers in spring; fine neat crevice plant. 3 for \$1.00.

**Draba repens**—Very small leaved fast creeper, with bright yellow flowers in spring. About 2". Blooms before last snow flies but is perfectly hardy as sleet and freezes just seem to prolong the bloom. 3 for \$1.00.

**Siberian Iris "Emperor"**—Purple blue. A fine iris, the haft being especially wide, 3'. 50c.

**Siberian Iris "Kingfisher"**—Taller and slightly larger than Emperor. Same color. More flowers to stem also. \$1.50.

**Siberian Iris "Kingfisher Blue"**—Light blue, same color as the popular but smaller Perry Blue. Much taller and rhizomes are larger. \$1.50.

**Spuria Iris "Ochroleuca"**—Producing late in May 3' high stems with an abundance of very distinct creamy yellow flowers, with orange center. 35c.

**Physostegia "Vivid"**—Everyone wants autumn flowering plants. This is a much freer, 1', pinker form of the wild Virginia false dragon-head, with solid masses of bright pink. Tolerates damp places. Ought to be in clumps for best effect. 25c, 10 for \$1.50.

**Potentilla fruticosa purdomi**—Pale yellow flowers in the spring and scattered yellow flowers all summer, very fine, 2', new, very good and lasts a lifetime. \$1.

**Potentilla verna nana**—Glossy leaves in 3" high close mats. Yellow flowers in summer. 50c.

**Prunus besseyi**—Shrub to 5', spreading wider, absolutely covered with white flowers very early in spring, followed by black cherries. Leaves have a pleasing sheen. Tolerates very poor soil. Beautifully colored autumn foliage. 100 very fine bushy plants. \$1.00.

**Sedum "Ellacombianum"**—An oval leaved slow creeper, doing well on poor soil in sun, in spring leaves are a cheerful green rosette, in late autumn they turn a brilliant red, extremely valuable, flowers yellow in July. 50c, or 5 for \$1.00.

Landscapers and Nurserymen can be supplied at reduced prices if the quantity warrants. Submit your wants for a quotation.

ROCKY MOUNTAIN  
1930 SEEDS

Use packet, or 7 for \$1. 80 post free in England or colonies.  
Personal checks in U. S. dollars accepted. Quantity prices given on request.  
Some are very scarce and will sell out soon, and two collectors are discontinuing so perhaps some will not be again available for years.  
An alternative list is desirable.  
All this list of seed in stock now.

**ALBIZZIA JULIBRISSIN**, a valuable summer flowering fine foliaged, quick growing tree, from Korea. Hardy in southern Ohio and probably further north. Liberal packets of some seed that came in very fresh.  
*Abrobia latifolia*, yellow, sand, pure sand.  
*Abrobia umbellata*, rosy purple creeper on Achlys triphylla. Sweet-after-death, shady old logs or moss, foliage big and fragrant, fls. white, 18".  
*Aconitum columbianum*, damp, blue purple.  
*Actine rubra*, Red baneberry, damp woods, shade, red berries. 2".  
*Allium acuminatum*. Neutral. June, pink.  
*Anemone quinquefolia*, American wood anemone. Low moist open woods, sun, fls. white early. 4".  
*Apocynum canadensis*, American wild columbine. Low moist loam, sun or shade, fls. yellow and red. June, 1-2".  
*Aquilegia flavescens*. For damp places. Flow-ers short-spurred and yellow.  
*Aquilegia formosana*.  
*Aquilegia truncata*, red and yellow.  
*Arbutus menziesii*, Madrona (Ac) red berried evergreen tree.  
*Arctostaphylos tomentosa* (Ac) fls. pink. maroon bark, evergreen. 15".  
*Arisaema triphyllum*, Jack-in-the-pulpit. (N) Low moist loam, part shade, fls. June, fine red berries Aug-Sept.  
*Artemisia canifolia*, Alkaline, August, pale yellow, 3 ft.  
*Artemisia tridentata* sagebrush. Alkaline, July-September. yellow 3 ft. shrub.  
*Asarum caudatum*, moist, very shady, maroon.  
*Asclepiodora decumbens*. An odd milkweed. Found on dry hill-sides, sprawling over rocks, very fragrant, greenish white.  
*Aster tortifolius*, "Desert Aster," Perennial, 1 to 2 feet high, branching from a woody base. Flowers large, clear lavender, with deep yellow center.  
*Astragalus utahensis*. Clean purple in clusters, early, 2" high, a delight for a dry, sunny, alkaline position.  
*Azalea occidentalis* (Ac) damp, fls. white to pink. 1-10".  
**Balsamorhiza hirsuta**. A low growing vel-low flowered plant very desirable for hot rock gardens.  
**Balsamorhiza macrophylla**. The largest of this interesting genus. Foliage fern-like and, as the name indicates, very large. For dry situations.  
**Balsamorhiza sagittata**. The foliage is arrow-head shaped, and silky: very pretty. Brodiaea grandiflora, very dry, deep blue, 6".  
*Brodiaea lactea*, moist shade or ordinary soil.  
*Calypso borealis* (Ac) shade, old evergreen needles or moss, pink, 4-10".  
**Campanula azurea**, blue, on slender stem.  
**Campanula rapunculoides**.  
*Campanula rotundifolia*. Harebell. Neutral,

July-October, blue, 2-3 ft., easy doer, sun or shade.  
**Ceanothus thyrsiflorus**.  
*Chimaphila umbellata* (Ac).  
*Chrysanthamnus naucantus*, Alkaline, July-September, yellow, 2-3 ft., shrubby.  
**Cimicifuga elata**.  
*Cimicifuga laciniata*, flowers in long upright racemes, cream color. Rare.  
*Clarkia concinna*, rose purple.  
*Clarkia elegans*.  
*Clematis stans*.  
*Cleome lutea*, Alkaline, July, yellow, 3 ft.  
*Cleome serrulata*, Alkaline, July-August, rose-purple, 3 ft.  
*Clarkia pulchella*, Neutral, June-August, red, 15 in.  
*Collinsia* bicolor, Chineso-houses, Neutral. June, rose and white, 1 ft., annual.  
**Collomia grandiflora**.  
**Cymopterus longipes**. Pretty rosette of foliage, one of the earliest spring flowers. Suitable for a dry rock garden. Thick root, 5".  
*Darlingtonia californica*  
*Delphinium cardinale*, scarlet.  
**Delphinium columbianum**, blue. 4 ft. high.  
*Dendrobaena rigida*, bright yellow, sun.  
*Dicentra chrysanthus*, yellow, sand, half shade.  
**Disporum trachycarpum**.  
*Dodecaethon hendersonii*, acid, rose to crimson, rock garden in sun, 6-10".  
*Dodecaethon jeffreyi* var. *redolens*, Probably best of all "shooting stars".  
**Dodecaethon pauciflorum**.  
*Dodecaethon salinum*. Light pink or white, very early, bulbous root, grows in decidedly alkaline meadows in soil that is dust dry in summer—when the foliage disappears.  
**Epilobium angustifolium**.  
*Epigaeon compositus* var. *trifidus*, sandy, sun, large white flowers, 3".  
*Epigaeon linearis*, Alkaline, June-July, violet, 6 in.  
**Eriodictyon angustifolium** or **Yerba santa**. A balsamic low growing shrub. Its foliage is smoked for the relief of asthma.  
**Eriogon divergens**.  
*Eriogon speciosa*.  
*Eriophyllum lantanum*. Alkaline, June-August, yellow, 10 in.  
*Eriophyllum pedunculatum*, Alkaline, June-August, yellow, 10 in.  
*Erysimum asperum*, Rough blistercress. chrome yellow, dry, 1-3".  
*Erythraea venusta*, pink, dry, 1".  
*Erythronium giganteum*, acid, dry or moist. white, mottled leaf, 6-10".  
*Erythronium grandiflorum* var. *parviflorum*  
*Erythronium grandiflorum* var. *robustum*  
*Erythronium hendersonii*, acid, dry or moist, lavender and maroon, mottled leaves, 6-10".  
*Erythronium montanum*.  
**Euphorbia marginata**.  
*Euploea convolvulacea*, annual, satiny-white bells. dry, sunny, long period of bloom.  
**Fraxera speciosa**.  
*Fritillaria pulegia*, yellow, 4-6".  
*Fritillaria purdyi*.  
**Geranium maculatum**, Wild geranium. Most anywhere, fls. pinkish lavender April-July, forces well.  
**Gerardia virginica**, smooth foxglove.  
*Gentiana andrewsii*, Closed gentian. (Ac-or N) Low moist loam, sun or shade, fls. light blue in prominent heads Aug-Oct.  
*Gentiana scabra*

*Gilia achilifolia*, narrow glia. Neutral, July. lavender-blue, 10 in.  
*Gilia aggregata*, scarlet biennial, 1-2".  
*Gilia aurea*, yellow.  
*Gilia californicus*, rose.  
*Gilia capitata*, annual, white or blue, 1-2".  
**Gilia densiflora**, "California Phlox." Annual, 1 to 2 feet high. Flowers in crowded clusters, soft lilac pink.  
*Gilia liniflora*, flax flower glia, Neutral, July, white, 10 in.  
*Gilia tricolor*, birdseye glia, Neutral, July, three colors, 8-10 in.  
*Godetia amoena*, lavender pink.  
**Godetia amoena**, var. **Lindleyi**.  
**Godetia viminea**, Annual, 1 to 2 feet high. Upper half of petals lilac with darker blotch; lower half white, often with lilae ring at base; very attractive.  
*Goodyera menziesii* (Ac) shade, 8".  
*Grindelia nana*, Alkaline, September, yellow.  
*Gutierrezia sarothrae*, Alkaline, September, yellow, 15 in.  
**Haekelia diffusa**. Much-branched herb, blue, like large forget-me-nots. Similar to *Anchusa*.  
*Hedysarum papulare* (Alk), pink pea blossoms, dry, sun, 1".  
**Helianthella douglasii**.  
**Hosackia bicolor**.  
**Hesperatia trilobata**, Roundlobe hepatica, "Liverwort" (Ac). Shady woods in old leaves. fls. white or lavender April, forces easy.  
*Iris bracteata*, deep yellow, 6".  
*Iris chrysophylla*, white or yellow, 3-9".  
*Iris tenax*, Oregoniris, deep blue, 6-8".  
**Iris versicolor**, Blueflag iris.  
*Lasthenia glabrata*, (Ac) yellow, damp.  
*Lathyrus splendens*, crimson pea.  
*Lathyrus torreyi*  
*Lavatera assurgentifolia*, rose purple, 6".  
*Layia elegans*, gold and white.  
*Linnaea borealis americana*, Twin flower (Ac) shady evergreen creeper.  
*Lupinus arboreus*, yellow.  
*Lupinus angusticus* (Alk), blue, dry, 2".  
**Lupinus brittoni**. Shrubby perennial 4 to 5 feet high. Flowers in long racemes, deep, rich purple.  
*Lupinus chamissonis*, blue.  
**Lupinus cytisoides**. Perennial, 4 to 6 feet high. Flowers in long racemes, deep pink or rose purple and very showy.  
**Lupinus densiflorus**, Annual, 1 to 1½ feet high. A stout, branching plant with rich green foliage and white flowers in dense whorls.  
**Lupinus formosus**. Perennial, of spreading habit, 1 to 2 feet high. Flowers purple, blue or lilac.  
**Lupinus hirsutissimus**, "Hairy Lupine." Annual, 1½ to 2½ feet high. Flowers large, deep reddish-purple.  
**Lupinus nanus**, Annual, 10 inches high. A very showy plant; flowers rich blue and white, fragrant.  
**Lupinus succulentus**, Annual, 1 ft. high. Flowers in large racemes, deep blue; very showy. Thrives best in heavy soil.  
**Linaria vulgaris**, Common toadflax.  
*Malvastrum coccineum*, "False mallow", Alkaline, June-August, orange scarlet, 20 in., gray-green foliage.  
*Mentzelia nuda*, Neutral, July, yellow, 3 ft.  
*Mentzelia ornata*, Neutral, July, white, 3 ft., open in evening.  
*Mertensia lanceolata* (N), clear blue, dry, sunny.  
*Mertensia virginica*, Virginia bluebells. Rich shady moist woods, pink buds, blue fls. spring, 10-20".  
*Menziesia ferruginea*.

*Micromeria douglasii*, creeper with scented foliage, small white flower.  
**Microseris nutans**. A small tuberous rooted plant bearing in early spring yellow flower-ers on long stems somewhat resembling dandelions.  
**Mimulus fremonti**. "Pink Monkey Flower." Annual, 4 to 6 inches high. Flowers large, deep rose pink. Grows in sandy places.  
*Mimulus lewisii*, damp, red, 1-2".  
*Mimulus luteus*, damp, yellow, 6-10".  
*Monardella odoratissima*.  
*Monardella parviflora*.  
**Monosotis laxa**, Bay forget-me-not. Edge of swamps or wet loam, part shade, fls. clear blue. June-July, 6-12".  
**Myosotis palustris**.  
*Nemophila amita*, climber, shade, thorny.  
**Nepeta cataria**.  
*Oenothera bistricta*, golden.  
*Oenothera coronopifolia*, white turning pink, dry poor soil.  
**Oenothera spi. yellow trailer**.  
**Oenothera grandiflorum**, **Oregon Crocus**, dainty, early spring blooming, deep lavender, crocus-like, very showy; foliage deep green, grass-like; 6-9 inches high.  
*Orthocarpus purpureus*, dark pink, sun.  
**Osmorhiza cerasiflora**.  
*Oxalis oregana*, moist shade, pink.  
*Oxytropis splendens* (Alk) rosy amethyst flowers, silvery foliage, dry, sun.  
**Parnassia intermedia**.  
*Pedicularis densiflora*, dry, bright red, 6-10".  
*Pedicularis groenlandica*, Elephants' heads, damp, pink or red, 6-10".  
**Penstemon albidus**. Neutral, June-July, white, 10 in.  
*Penstemon antirrhinoides*, yellow, sun.  
*Penstemon canthanthoides*, red.  
*Penstemon ecklonii*.  
**Penstemon exaltatus**. Brilliant scarlet without a tinge of yellow; rare and choice, for a well-drained soil.  
*Penstemon eugeneus*. A new species. Foliage glaucous and very attractive; flowers dark blue; stems 16 in. or more.  
**Penstemon fruticosus**, var. **Cardwelli**. Low evergreen shrub, blue.  
*Penstemon garretti*, showy, low growing.  
**Penstemon glaber eynanthus**. Easy, bright blue in long spikes.  
*Penstemon grandiflorus*, §2 oz.  
*Penstemon heterophyllus*, Violet penstemon, Neutral, June-October, purple, 10 in.  
*Penstemon laevigatus*, var. *digitalis*, very white. 3 foot, §1 oz.  
**Penstemon nemoralis**, 2 ft. high, magenta color.  
**Penstemon ovatus**. Hardy perennial 3-4 ft. tall; blue to purple, in long showy panicles.  
*Penstemon palmeri*. The loveliest of the penstemon genus.  
**Penstemon platyphyllus**. A woody, long lived species. Flowers violet purple.  
*Penstemon procerus*. Violet blue, easy doer in ordinary garden.  
*Penstemon richardsoni*. Stems procumbent, branches 2 ft. tall; foliage delicately lobed; flowers deep pink.  
**Penstemon secundiflorus**. Violet blue on 2' stems, hardy, showy and an easy doer.  
**Penstemon sepallus**. Much like platyphyl-lus, but taller growing.  
**Penstemon spectabilis**. Perennial, 7 feet high. Flowers in long spikes, and the richest combination of blue and royal purple.  
**Penstemon torreyi**. Brilliant red on 3' stems, closely related to *P. barbatus*.  
**Penstemon venustus**. One of the finest of

perennials for the border; stems 3-4 feet, in great clumps, spreading 4-5 feet. Flowers rich blue, in dense panicles over 1 ft. long.  
**Phacelia congesta**.  
*Phacelia grandiflora*, rosy lavender, sun.  
*Phacelia parryi*, purple, sun.  
*Phacelia whitlavia*, blue, sun.  
**Phlox divaricata**, blue phlox. (Ac or N). Edge of woods, flowers pink or lavender, early spring.  
**Phlox pilosa**, Downy phlox, (Ac or N). High light soil, sun or shade, fls. lavender June, 6-12".  
*Phyllodoce empetrifolmis*  
*Phylomothus occidentalis*, violet blue, shade.  
*Polemonium robustus*, blue, 2".  
**Potentilla gracilis**, 1-1½ ft., yellow.  
**Potentilla rivularis**.  
**Ranunculus alismaeifolius**.  
*Ranunculus californicus*, very early, 6-10".  
**Rhododendron californicum**.  
**Ribes sanguineum**.  
*Romanzoffia stichensis*  
*Romanzoffia unalaschensis*  
**Rosa humilis**.  
*Rudbeckia occidentalis*. A rayless rudbeckia. Not beautiful, but odd, and a thrifty specimen will attract attention.  
**Rudbeckia purpurea**.  
*Salvia patens*.  
**Sanguinaria canadensis**, Bloodroot (Ac or N). Low damp sandy loam or woods, shade, pure white fls. early spring, 4-18". easy doer and very fine, juice is a red dye.  
**Sarcobatus vermiculatus**, shrub.  
**Saxifraga mertensiana** (Bulblets).  
*Saxifraga sternae*.  
*Sedum spatulifolium*, dwarf, bright yellow.  
*Silene douglasii*.  
*Silene latifolia*.  
*Silene rosmari*.  
*Sisyrinchium bellum*, blue, 6-8".  
*Sisyrinchium biramum*, dainty, blue on slender stems. Stems usually 2-branched.  
**Smilacina racemosa**.  
*Smilacina stellata*, woods, 6", pink small holly-hock-like flowers.  
*Stanleya pinnata*, golden plumes. 2' dry, limestone.  
*Streptopus amplexifolius*  
*Sphaeralcea cuspidata*, scarlet hollyhock like, 3' bushy.  
**Synthlipsis reniformis**. Blue, on upright racemes, 7-9 in.  
*Synthlipsis rotundifolia*, shade, blue, 6".  
*Synthlipsis rotundifolia*. Blue, racemes shorter than those of above plant, shade.  
**Thalettum adiantifolium**.  
**Thalettum fendleri** or Mountain meadowrue.  
*Thermopsis montana* (Alk) yellow pea-shaped blossoms, early, dry, 1".  
**Trillium erectum**, Purple trillium, Ac. Moist woods, fls. purplish red, 8-16".  
**Troximon grandiflorus**. A gigantic dandelion for damp places.  
**Vancouveria hexandra**. Low herb with foliage of unique shape and dainty clusters of white flowers; 1 ft.  
**Vernonia fasciculata**, Ironweed.  
**Viburnum ellipticum**.  
*Viola pubescens*.  
*Viola angustifolia*, yellow, tall, moist.  
*Viola glauca*.  
*Zauschneria californica*, clear red, shrub.  
*Zauschneria graminis*, creamy flowers, a bulb, dry, sunny, sand.  
**Zygadenus venenosus**, **Death Camas**. 3 ft. high; raceme many-flowered; flowers yellowish.



# Mostly New And Rare Rockery Plants

Some Never Before  
Listed in America.  
All Hardy in Michigan.

*Achillea argentea.*  
*Achillea ageritifolia.*  
*Achillea tomentosa.*  
*Amsonia tabernaemontana*, 20c.  
*Arabis sturi*, 50c.  
*Arabis procurrens.*  
*Arenaria grandiflora*, sour soil, white blooms on 6-inch stems, for 3 months.  
*Arenaria verna*, 15c.  
*Arenaria verna aurea*, 75c.  
*Armeria lauchean*, 20c.  
*Arrhenatherum bulbosum*, 15c.  
*Artemisia frigida*, 20c.  
*Asclepias incarnata alba.*  
*Asclepias tuberosa.*  
*Aster "Mauve Cushion"*, 20c.  
*Aspilia bupththalmiflora*, 75c.  
*Baccharis halimifolia*, bushy, 40c.  
*Bellium minutum*, 3 for \$1.00.  
*Boltonia latiscuama nana.*  
*Calamintha alpina*, 20c.  
*Calamintha grandiflora*, 75c.  
*Campanula trachelium*, a very free and large blooming form, 50c.  
*Caryopteris mongolica*, 75c.  
*Caryopteris tangutica*, 50c.  
*Clematis fargesii*, \$1.  
*Clematis tangutica*, 50c.  
*Cotula squalida.*  
*Cydonia pygmaea*, \$1.  
*Cydonia wilsoni*, \$1.  
*Dianthus pritchardi*, 50c.  
*Epilobium macropus*, 50c.  
*Epilobium nummularifolium*, 15c.  
*Epilobium obcordatum.*  
*Epilobium rosmarinifolium.*  
*Epimedium niveum*, 30c.  
*Epimedium*, 5 colors for \$1.50.  
*Erigeron leiomerus*, 75c.  
*Erysimum purpureum.*  
*Eustoma russellianum*, 50c.  
*Filipendula camtschatica.*  
*Filipendula venusta.*  
*Forsythia ovata*, 1 ft. plants, \$1.  
*Galax aphylla.*  
*Gaura coccinea*, 20c.  
*Geranium pyzowianum*, 50c.  
*Geum heldreichii.*  
*Claux maritima*, 50c.  
*Hedera helix baltica*, 75c.  
*Hepatica triloba*, 15c.  
*Helenium "Crimson Beauty."*  
*Helenium "Riverton Gem."*  
*Helianthus maximiliani*, a pale yellow 5-foot wild sunflower of merit.  
*Herniaria glabra.*  
*Hipiscus* or *Mallow Marvels*, in red or pink.  
*Hutchinsia alpina.*  
*Hutchinsia auerswaldii*, 75c.  
*Hypericum gracilis*, 50c.  
*Hypericum fragilis*, 75c.  
*Jasione perennis.*  
*Lavender cotton*, 20c.  
*Linaria acutifolia*, 20c.  
*Lithospermum canescens*, 20c.  
*Lonicera heckrothii*, \$1.  
*Lonicera korolkowii floribunda*, \$1.50.  
*Lonicera syringantha*, \$1.

In this condensed list are some rarely good items and reasonable prices considering they are Delivery Free.

Besides rockery use they are fine for low bedding plants, edging driveways and as ground covers.

If no price is given they are 25c each or 6 for \$1. Those with different prices quoted are 10 for price of 6.

*Sedum*, *thyme*, *veronica* are fine groups. I will send correctly named 10 different of any group for \$2. The 3 groups for \$5.

Some of the following varieties have been propagated from one that showed exceptional merit and in one case you will get a three months bloom instead of seedlings that give two weeks bloom, as is commonly offered.

*Lysimachia nummularia*, 10c.  
*Lysimachia nummularia*, a yellow leaved form, \$1.00.  
*Lythrum roseum superbum.*  
*Malvastrum coccineum*, 20c.  
*Mazus rugosus*, 20c.  
*Micromeria rupestris*, 35c.  
*Muehlenbeckia nana.*  
*Nepeta mussini.*  
*Pentstemon digitalis* var. *laevigata*, a very white form, plants 15c, or seed for naturalizing 25c a liberal packet.  
*Pentstemon eatoni.*  
*Physocarpus monogyna*, shrubby nice plants, 75c.  
*Phlox "Firebrand"*, very red.  
*Phlox "Betty Lou"*, orange red.  
*Phlox procumbens caerulea.*  
*Populus generosa*, 5 ft. specimens, \$1.50, cuttings \$5 per 100.  
*Polemonium reptans.*  
*Potentilla chrysocephala.*  
*Potentilla chinensis.*  
*Potentilla fruticosa*, a selected free blooming variety, 50c.  
*Potentilla purdomii*, similar to above but lighter yellow, 75c.  
*Potentilla recta*, 15c.  
*Potentilla tonguei*, 50c.  
*Potentilla verna nana*, 35c.  
*Pratia arenaria*, 50c.  
*Ruellia occidentalis.*  
*Sambucus canadensis maxima*, large shrubs, 75c, suckers at \$10 per 100.  
*Santolina chamaecyparissus*, 20c.  
*Satureia montana*, 20c.  
*SEDUM* acre, small leaved form, 20c.  
*Sedum* acre, very large form, 75c.  
*Sedum album*, 15c.  
*Sedum album* var. *brevifolium*, 25c.  
*Sedum album*, a very compact form, 50c.  
*Sedum album*, a minute form, 75c.  
*Sedum colinum.*  
*Sedum ewersi homophyllum*, 75c.  
*Sedum gracile.*  
*Sedum hybridum*, a fine groundcover.  
*Sedum lydium*, 20c.  
*Sedum nevi.*  
*Sedum obtusatum* (true), 30c.  
*Sedum oregonum*, very fine, 30c.  
*Sedum rupestris*, 20c.  
*Sedum sarmentosum*, 15c.  
*Sedum "Silver"*, dwarf silvery mat, 20c.  
*Sedum spectabile "Brilliant."*  
*Sedum spurium coccineum.*  
*Sedum spurium oppositifolium.*  
*Sedum ternatum*, 15c.  
*Skortia galacifolia*, 20c.  
*Silene maritima*, 20c.  
*Silene rubicunda*, 30c.  
*Silene schafta.*  
*Sophora japonica*, small, in pots, 50c.  
*Sophora viciifolia.*  
*Spirae decumbens*, \$1.00.

*Spirae normani*, \$1.00.  
*Spirae sargentii*, \$2.00.  
*Stachys corsica*, a very dwarf rockery plant of great merit, 30c.  
*THYMUS citriodora*, fragrant foliage.  
*Thymus citriodora*, foliage edged gold, 35c.  
*Thymus lanuginosus*, 20c.  
*Thymus looymansii.*  
*Thymus membranaceus* (true), \$2.  
*Thymus nitida*, 50c.  
*Thymus serpyllum* is a very dwarf extremely variable variety. Sun and poor soil suits them. Fragrant foliage.  
*Thymus serpyllum album*, solid white mass only 1/2 inch high.  
*Thymus serpyllum*, dwarf rose form, most of the red or rose forms being too high for use between stepping stones, but this is not.  
*Thymus serpyllum minor*, very small, extremely flat, lilac flowers, 50c.  
*Thymus serpyllum micans*, a minute shrub, purple flowers, 75c.  
*Thymus serpyllum folis aurea variegata*, foliage edged gold, very flat, 35c.  
*Thymus serpyllum folis argentea variegata*, foliage edged silver and taller than above 35c.  
*Thymus serpyllum* var. *lanuginosus*, woolly grey leaves, pink flowers, very dwarf, 20c.  
*Thymus vulgaris.*  
*Thymus*, an unnamed narrow leaf fast creeping form of merit.  
*Tunica saxifraga*, 20c.  
*Tunica saxifraga*, double form, 60c.  
*Valerianella* (unnamed), 2 inch mound of round leaves with pink balls in spring.  
*VERONICA*, a family of easy doers for sun or very light shade and not fussy about soil. The variety *rupestris* is very variable and has many distinct varieties.  
*Veronica allioni*, a larger *V. repens* in effect, 20c.  
*Veronica armena*, blue flax-like flowers all season, 30c.  
*Veronica bellidifolia*, 50c.  
*Veronica filiformis*, fast evergreen neat dwarf creeper, blue.  
*Veronica pectinata*, a woolly leaf like a larger *Thymus lanuginosus*, fast creeper, in blue or rose, 30c.  
*Veronica repens*, very minute and absolutely flat, 15c.  
*Veronica rupestris*, "Heavenly Blue," 3 in. high, clear blue, 35c.  
*Veronica rupestris* "True Blue," a little larger than above.  
*Veronica rupestris flexuosa nana*, very flat, intense blue, a plant with every possible merit, 50c.  
*Veronica rupestris flexuosa alba*, prostrate.  
*Veronica rupestris flexuosa rosea*, prostrate.  
*Veronica spicata corymbosa*, 6 inch, blue, 50c.

25c Each or 6 for \$1, Delivery Free, if Not Otherwise Priced.